

Markdown Cheatsheet

Heading

```
# Heading 1
## Heading 2
### Heading 3
#### Heading 4
##### Heading 5
##### Heading 6
```

Heading 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

```
Heading 1
=====
Heading 2
-----
```

Heading 1

Heading 2

Formatting

```
_Italic_
*Italic*
__Bold__
**Bold**
Strikethrough
Subscript~example~
Superscript^example^
```

Italic
Bold
~~Strikethrough~~
Subscript_{example}
Superscript^{example}

List

- Unordered list

- Unordered list
- + Unordered list
- * Unordered list
- Nested
 - Unordered
 - List

- Unordered list
- Unordered list
- Nested
 - Unordered
 - List

- 1. Ordered list
- 1) Ordered list
- 1. Nested
 - 1. Ordered
 - 2. List

- 1. Ordered list
- 1. Ordered list
- 1. Nested
 - I. Ordered
 - II. List

Task

- + [] Unchecked task
- * [x] Checked task
- [] Nested
 - [x] Checked
 - [] Task

- Unchecked task
- Checked task
- Nested
 - Checked
 - Task

Link

```
[Link](notable.md)
[Link reference][1]

[1]: notable.md
```

[Link](#)
[Link reference](#)

Auto-linking

```
https://notable.md
<https://notable.md>
```

<https://notable.md>
<https://notable.md>

```
fabio@notable.md
```

fabio@notable.md

Footnote

```
Numeric [^1]  
Alphanumeric [^fn]  
Inline ^[Inline content]
```

```
[^1]: Numeric content  
[^fn]: Alphanumeric content
```

Numeric ^[1]
Alphanumeric ^[2]
Inline ^[3]

-
1. Numeric content ↩
 2. Alphanumeric content ↩
 3. Inline content ↩

Image

```
![Image]  
(https://notable.md/favicon.ico)  
![Image reference] [1]  
![Image reference + Link] [1] [1]  
  
[1]: https://notable.md/favicon.ico
```



Quotation

```
> Quotation  
> > Nested quotation
```

Quotation
Nested quotation

Code

```
`Inline code`
```

Unfenced code block

```
Inline code
```

Unfenced code block

```

Fenced code block

```

~~~~

Fenced code block

~~~~

```js

// Fenced JS code block

```

Fenced code block

Fenced code block

// Fenced JS code block

Table

Regular

Tables	Are	Great
•	•	•
•	•	•

Aligned

Left	Center	Right
•	•	•

Regular

Tables	Are	Great
•	•	•
•	•	•

Aligned

Left	Center	Right
•	•	•

Separator

Emoji

All emojis supported by GitHub are supported, you can find a list of them under [Help -> View Emojis](#).

:smile: :+1:



KaTeX

KaTeX implements the LaTeX language, which is used for writing mathematical expressions among other things, read more about them [here](#) and [here](#).

Inline

```
$e^{i\pi} + 1 = 0$
```

Block

```
$$e^{i\pi} + 1 = 0$$
```

Multi-line Block

```
$$
\begin{pmatrix}
f(\alpha) & b \\
a & f(\beta)
\end{pmatrix}
$$
```

Code Block

```
```katex
e^{i\pi} + 1 = 0
```
```

Inline

$$e^{i\pi} + 1 = 0$$

Block

$$e^{i\pi} + 1 = 0$$

Multi-line Block

$$\begin{pmatrix} f(\alpha) & b \\ a & f(\beta) \end{pmatrix}$$

Code Block

$$e^{i\pi} + 1 = 0$$

MhChem

MhChem is a LaTeX language extension supported by KaTeX, it is used for writing chemical expressions, read its documentation [here](#).

Inline

```
$$\ce{H2O}$$
```

Block

```
$$\ce{H2O}$$
```

Inline

H₂O

Block

H₂O

AsciiMath

AsciiMath is a language for writing mathematical expressions using only ASCII characters, read its documentation [here](#).

Inline

```
&e = mc^2&
```

Block

```
&&e = mc^2&&
```

Code Block

```
``asciimath  
e = mc^2  
``
```

Inline

$$e = mc^2$$

Block

$$e = mc^2$$

Code Block

$$e = mc^2$$

Mermaid

Mermaid is a language for generating flowcharts and diagrams, read its documentation [here](#).

```
``mermaid  
graph LR  
  Start --> End  
``
```



Deep Linking

The following custom syntaxes are supported for linking to various things inside the app: attachments, notes, tags and search queries.

Attachment

```
![Icon](@attachment/icon.png)
```

```
[Icon](@attachment/icon.png)
```

```
[](@attachment/icon.png)
```

Note

Attachment



 Icon

```
[Example] (@note/Example.md)
```

```
[] (@note/Example.md)
```

```
[[Title|Example.md]]
```

```
[[Example]]
```

```
#### Tag
```


```
[Basics] (@tag/Basics)
```

```
[] (@tag/Basics)
```

```
#### Search
```


```
[linking] (@search/linking)
```

```
[] (@search/linking)
```

 icon.png

Note

 Example


 Example.md

 Title

 Example

Tag

 Basics

 Basics

Search

 linking

 linking

<markdown> Tag

A custom `<markdown>` HTML tag is supported. Anything written inside it will be rendered as Markdown. This is particularly useful when you have to write some wrapper HTML but you still want to write Markdown inside it.

```
<details>
  <summary>Summary...</summary>
  <markdown>
- Embedded
  - Markdown
  </markdown>
</details>
```

► Summary...

HTML

HTML can be written inside Markdown. The following are some useful HTML tags that you might want to know for which there's no Markdown-specific syntax.

```
<!-- Comment -->
```

```
#### Abbreviation
```

```
<abbr title="Mister">Mr.</abbr>
```

```
#### Center
```

```
<center>Center</center>
```

```
<p align="center">Center</p>
```

```
#### Description List
```

```
<dl>
```

```
  <dt>Mr.</dt>
```

```
  <dd>Mister</dd>
```

```
</dl>
```

```
#### Details
```

```
<details>
```

```
  <summary>Summary...</summary>
```

```
  Details...
```

```
</details>
```

```
#### Keyboard
```

```
<kbd>Ctrl+F5</kbd>
```

```
#### Mark
```

```
<mark>Text</mark>
```

```
#### Small
```

```
<small>Text</small>
```

Abbreviation

Mr.

Center

Center

Center

Description List

Mr.

Mister

Details

► Summary...

Keyboard

Ctrl+F5

Mark

Text

Small

Text